

Day : Friday
Date: 6/10/2005

Time: 17:52:29

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = WANG

First Name = JIANHUA

Application#	Patent#	Status	Date Filed	Title	Inventor Name 27
60552816	Not Issued	159	03/13/2004	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
60552815	Not Issued	159	03/13/2004	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
60552814	Not Issued	159	03/13/2004	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
60552813	Not Issued	159	03/13/2004	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
60538931	Not Issued	159	01/24/2004	OPTICAL FILTER ASSEMBLY	WANG, JIANHUA
11079687	Not Issued	030	03/12/2005	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
11079686	Not Issued	030	03/12/2005	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
11079685	Not Issued	030	03/12/2005	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
11079683	Not Issued	030	03/12/2005	MULTIMODE OPTICAL FIBER COUPLER AND FABRICATION METHOD	WANG, JIANHUA
11041688	Not Issued	030	01/23/2005	OPTICAL FILTER ASSEMBLY AND METHOD	WANG, JIANHUA
11007631	Not Issued	030	12/08/2004	SUN VISOR ASSEMBLY	WANG, JIANHUA
10941249	Not Issued	030	09/15/2004	TEAR DYNAMICS MEASURED WITH OPTICAL COHERENCE TOMOGRAPHY	WANG, JIANHUA

<u>10933867</u>	Not Issued	020	09/03/2004	CARBAZOLE DERIVATIVE AND ITS USE IN ELECTROLUMINESCENT DEVICES	WANG, JIANHUA
<u>10851553</u>	Not Issued	030	05/21/2004	COMPACT HIGH-STABILITY OPTICAL SWITCHES	WANG, JIANHUA
<u>10802126</u>	Not Issued	094	03/16/2004	COMPACT HIGH-STABILITY OPTICAL SWITCHES	WANG, JIANHUA
<u>10718355</u>	Not Issued	030	11/18/2003	OPTICAL MODULE PACKAGE	WANG, JIANHUA
<u>10408073</u>	<u>6904223</u>	150	04/04/2003	TILTED-TRANSLATION VARIABLE OPTICAL ATTENUATOR	WANG, JIANHUA
<u>10314537</u>	<u>6863778</u>	150	12/09/2002	SEPARATION OF TERTIARY BUTYL ALCOHOL FROM DIISOBUTYLENE	WANG, JIANHUA
<u>10259091</u>	Not Issued	161	09/26/2002	BROADBAND POLARIZATION INSENSITIVE OPTICAL ISOLATORS	WANG, JIANHUA
<u>10184553</u>	<u>6714716</u>	150	06/28/2002	VARIABLE OPTICAL ATTENUATOR	WANG, JIANHUA
<u>09812617</u>	<u>6721474</u>	150	03/19/2001	FIBER OPTIC SWITCH USING GALVANOMETER-DRIVEN X-Y SCANNING	WANG, JIANHUA
<u>09812358</u>	<u>6580868</u>	150	03/19/2001	HIGH-RESOLUTION VARIABLE OPTICAL ATTENUATOR WITH MECHANICAL ADJUSTMENT	WANG, JIANHUA
<u>09599138</u>	Not Issued	041	06/22/2000	APPARATUS, AND ASSOCIATED METHOD, FOR INTEGRATING OPERATION OF PACKET RADIO COMMUNICATION SYSTEMS	WANG, JIANHUA
<u>09599136</u>	Not Issued	092	06/22/2000	APPARATUS, AND ASSOCIATED METHOD, FOR INTEGRATING OPERATION OF PACKET RADIO COMMUNICATION SYSTEMS	WANG, JIANHUA
<u>09081212</u>	<u>5956865</u>	250	05/20/1998	PROCESS FOR DRYING HERBS	WANG, JIANHUA (LINDA)
<u>08618096</u>	<u>5792361</u>	250	03/19/1996	METHOD FOR TREATMENT OF AN AQUEOUS WASTE MATERIAL	WANG, JIANHUA

Inventor Search Completed: No Records to Display.

Last Name

First Name

Search Another: Inventor

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	34	("4416499" "4468168" "4859825" "5189724" "5758004" "5838871" "6014490" "6118914" "6195494" "6321021" "6334020" "6377735" "6415092" "6424784" "6504989" "6571047") .pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/10 17:36
2	BRS	L3	3	2 and (tube\$1 ferrule\$1 condit\$1) same (mov\$4 slid\$3) same (fiber\$1 fibre\$1 waveguide\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/10 17:38
3	BRS	L2	16	("4416499" "4468168" "4859825" "5189724" "5758004" "5838871" "6014490" "6118914" "6195494" "6321021" "6334020" "6377735" "6415092" "6424784" "6504989" "6571047") .pn.	US- PGPUB; USPAT	2005/06/10 17:40
4	BRS	L4	7	2 and (connectors)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/10 17:41

	Comments	Error Definition	Errors
1			
2			
3			
4			

	Type	Hits	Search Text
1	BRS	343	((tubes ferrules conduits) ((second outer) adj1 (tube ferrule conduit))) near5 (mov\$4 slid\$3) near7 (fiber\$1 fibre\$1 waveguide\$1)
2	BRS	29	(tube\$1 ferrule\$1 conduit\$1) near5 (mov\$4 slid\$3) near7 (fiber\$1 fibre\$1 waveguide\$1) same (thermal\$3 near3 expan\$5)
3	BRS	3	S1 and S2
4	BRS	1953	(tube\$1 ferrule\$1 conduit\$1) near5 (mov\$4 slid\$3) near7 (fiber\$1 fibre\$1 waveguide\$1)
5	BRS	313	S1 and S4
6	BRS	2877	connectors same (fiber\$1 fibre\$1 waveguide\$1) same hous\$4
7	BRS	14	S5 and S6
8	BRS	14	S7 not S3
9	BRS	2302	(tube\$1 ferrule\$1 conduit\$2) near5 (mov\$4 slid\$3 expand\$3) near7 (fiber\$1 fibre\$1 waveguide\$1)
10	BRS	106	S6 and S9
11	BRS	33514	((tubes ferrules conduits) ((second outer) adj1 (tube ferrule conduit))) same (fiber\$1 fibre\$1 waveguide\$1)
12	BRS	87	S10 and S11
13	BRS	4650	(tub\$3 ferrule\$1 conduit\$2) near4 thermal\$3 near3 expan\$5
14	BRS	2	S12 and S13
15	BRS	1801	(tube\$1 ferrule\$1 conduit\$2) near5 (mov\$4 expand\$3) near7 (fiber\$1 fibre\$1 waveguide\$1)
16	BRS	824	S15 and S11
17	BRS	5743	(tub\$3 ferrule\$1 conduit\$2) near5 thermal\$3 near3 expan\$5
18	BRS	72	S6 and S16

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:10		
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 17:29		
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 17:21		
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 17:29		
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 17:30		
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:17		
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 17:32		
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:11		
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:10		
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:09		
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:11		
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:18		
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:19		
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:13		
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:22		
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:20		
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:19		
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:21		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8
9		S9
10		S10
11		S11
12		S12
13		S13
14		S14
15		S15
16		S16
17		S17
18		S18

	Type	Hits	Search Text
19	BRS	1428	(tube\$1 ferrule\$1 conduit\$2) near5 (mov\$4) near7 (fiber\$1 fibre\$1 waveguide\$1)
20	BRS	57	S18 and S19
21	BRS	49	S20 not S8
22	BRS	2	(tubes ferrules) near3 (mov\$4) near3 therm\$4 near3 expans\$4 same (fiber\$1 fibre\$1 waveguide\$1) same (hous\$4 connect\$4)
23	BRS	3	(tub\$4 ferrule\$1) near5 (mov\$4) near5 therm\$4 near3 expans\$4 same (fiber\$1 fibre\$1 waveguide\$1) same (hous\$4 connect\$4)
24	BRS	102	(tub\$4 ferrule\$1) near5 therm\$4 near3 expans\$4 near5 (mov\$4)
25	BRS	0	S6 and S24
26	BRS	5	S24 and connector\$1 and (fiber\$1 fibre\$1 waveguide\$1)
27	BRS	2	"5179608".pn.
28	BRS	1	S27 and S24
29	BRS	1	S28 and (ferrul\$4 near5 mov\$6)
30	BRS	1	S27 and (tub\$4 ferrule\$1) near5 therm\$4 near3 expans\$4 near7 (mov\$4)
31	BRS	3	"6517253".pn.
32	BRS	344	((tubes ferrules conduits) ((second outer) adj1 (tube ferrule conduit))) near5 (mov\$4 slid\$3) near7 (fiber\$1 fibre\$1 waveguide\$1)
33	BRS	29	(tube\$1 ferrule\$1 conduit\$1) near5 (mov\$4 slid\$3) near7 (fiber\$1 fibre\$1 waveguide\$1) same (thermal\$3 near3 expans\$5)
34	BRS	3	S32 and S33
35	BRS	1956	(tube\$1 ferrule\$1 conduit\$1) near5 (mov\$4 slid\$3) near7 (fiber\$1 fibre\$1 waveguide\$1)

	DBs	Time Stamp	Comments	Error Definition
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:22		
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:22		
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 18:22		
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:13		
23	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:16		
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:27		
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:17		
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:24		
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:25		
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:25		
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/08 19:26		
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:09		
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 17:36		
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:11		
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:11		
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:13		
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 17:37		

	Errors	Ref #
19		S19
20		S20
21		S21
22		S22
23		S23
24		S24
25		S25
26		S26
27		S27
28		S28
29		S29
30		S30
31		S31
32		S32
33		S33
34		S34
35		S35

	Type	Hits	Search Text
36	BRS	314	S32 and S35
37	BRS	2879	connectors same (fiber\$1 fibre\$1 waveguide\$1) same hous\$4
38	BRS	14	S36 and S37
39	BRS	14	S38 not S34
40	BRS	1	S31 and connectors same (fiber\$1 fibre\$1 waveguide\$1) same hous\$4
41	BRS	1	S31 and S35 and S36
42	BRS	1	S31 and (tube\$1 ferrule\$1 condit\$1 fiber\$1 fibre\$1 waveguide\$1) near12 (mov\$4 slid\$3 'with respect')
43	BRS	2	S31 and (light wavelength\$1 sourc\$3 laser diod\$3 device\$2 opto\$6 optic\$4 beam\$4)
44	BRS	0	S31 and (input\$4 output\$4)
45	BRS	2	S31 and (input\$4 out\$6)
46	BRS	2	S45 and connect\$5
47	BRS	2	S31 and (connect\$5 fast\$5 coup\$5 lock\$4)
48	BRS	2	S31 and (connect\$5 fast\$5 coup\$5 lock\$4 interfac\$4 hock\$4 hok\$4)
49	BRS	2	S31 and (fiber\$1 waveguide\$1)
50	BRS	3	"6517253".pn.
51	BRS	1	S50 and (tube\$1 ferrule\$1 condit\$1 fiber\$1 fibre\$1 waveguide\$1 out\$5 inn\$3) near12 (mov\$4 slid\$3 'with respect')
52	BRS	1	S50 and (tube\$1 ferrule\$1 condit\$1 fiber\$1 fibre\$1 waveguide\$1 out\$5 inn\$3) near12 (mov\$4 slid\$3 'with respect') same (fiber\$1 cabl\$2 waveguide\$1)

	DBs	Time Stamp	Comments	Error Definition
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:11		
37	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:12		
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:11		
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:12		
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:12		
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:13		
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 14:14		
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:46		
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:46		
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:51		
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:57		
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 12:59		
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 13:11		
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 13:11		
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 15:55		
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 14:17		
52	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 14:19		

	Errors	Ref #
36		S36
37		S37
38		S38
39		S39
40		S40
41		S41
42		S42
43		S43
44		S44
45		S45
46		S46
47		S47
48		S48
49		S49
50		S50
51		S51
52		S52

	Type	Hits	Search Text
53	BRS	1	S50 and (tube\$1 ferrule\$1 condit\$1 fiber\$1 fibre\$1 waveguide\$1 out\$5 inn\$3) same (mov\$4 slid\$3 'with respect') same (fiber\$1 cabl\$2 waveguide\$1)
54	BRS	3	"6517253".pn.
55	BRS	2	S54 and (fus\$4 coup\$4)
56	BRS	0	S50 and (split\$4 isolat\$4 circulat\$4 attenuat\$5 switch\$4 wavelength\$3 multiplex\$5 demultipl\$5 wdm\$2)
57	BRS	1	S50 and (divid\$4)

	DBs	Time Stamp	Comments	Error Definition
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 14:19		
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 15:55		
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 15:58		
56	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 16:00		
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/10 16:00		

	Errors	Ref #
53		S53
54		S54
55		S55
56		S56
57		S57